

Data 2002 Gender Distribution

Version: 1.21

8-Jun-05 0:00

| Ost | Male | % of all | Gender % | Female | % of all | Gender % | Total | |
|---------------------|--------------|-------------|----------|--------------|---------------|----------|---------------|-------------|
| JD | 1,389 | 28% | 46.81% | 1,578 | 30% | 53.19% | 2,967 | 29% |
| JL | 1,389 | 28% | 44.71% | 1,718 | 33% | 55.29% | 3,107 | 31% |
| XD | 582 | 12% | 59.51% | 396 | 8% | 40.49% | 978 | 10% |
| FW | 12 | 0% | 50.00% | 12 | 0% | 50.00% | 24 | 0% |
| JG | 1,594 | 32% | 51.45% | 1,504 | 29% | 48.55% | 3,098 | 30% |
| Total | 4,966 | 100% | | 5,208 | 100% | | 10,174 | 100% |
| | 48.81% | Male | | 51.19% | Female | | | |
| All patients | | | 11,292 | | | | | |
| Recorded Data | 90.10% | | | | | | | |

Treatment Numbers Summary

8-Jun-05

| Total Treatments | No: | % |
|-----------------------|---------------|-------------|
| All Osteopaths | 10,929 | 100% |
| JD | 2,956 | 27.05% |
| JL | 3,108 | 28.44% |
| XD | 965 | 8.83% |
| FW | 270 | 2.47% |
| JG | 3,116 | 28.51% |
| AO | 349 | 3.19% |
| RC | 100 | 0.91% |
| TT | 65 | 0.59% |
| Total | 10,929 | |

Treatment Numbers Averages & PHI

+/- Mean

Mean of
TTTs
2.61
2.64
2.67
2.76
3.02
2.42
2.88
2.50
2.54

% Mean Age

New Patient Registrations pa

| | | |
|------|-------|------------|
| 1988 | 194 | |
| 1989 | 221 | |
| 1990 | 202 | |
| 1991 | 592 | |
| 1992 | 1,108 | |
| 1993 | 1,061 | |
| 1994 | 910 | |
| 1995 | 776 | |
| 1996 | 751 | |
| 1997 | 747 | |
| 1998 | 927 | |
| 1999 | 808 | <i>Est</i> |
| 2000 | 670 | <i>890</i> |
| 2001 | | |

| | | | |
|-----------------------|-------------|-------------|---------------|
| All Osteopaths | 2.61 | | |
| JD | 2.64 | 0.03 | 1.33% |
| JL | 2.67 | 0.06 | 2.23% |
| XD | 2.76 | 0.15 | 5.82% |
| FW | 3.02 | 0.41 | 15.74% |
| JG | 2.42 | -0.19 | -7.32% |
| AO | 2.88 | 0.27 | 10.35% |
| RC | 2.50 | -0.10 | -3.97% |
| TT | 2.54 | -0.06 | -2.48% |
| PHI Mean | 3.36 | 0.76 | 28.97% |

44.48


Total 8,967

| | | | |
|-----------------------------|----------------|-------|--------------------|
| Summary Mean Pts' Age | All Osteopaths | 44.48 | Pts Mean Age (Yrs) |
| | JL | 47.25 | Pts Mean Age (Yrs) |
| | JD | 43.30 | Pts Mean Age (Yrs) |
| | XD | 43.13 | Pts Mean Age (Yrs) |
| | FW | N/A | |

Treatment Patterns

| 2 All Treatment Numbers | | STDDEV |
|-------------------------|---------------|-------------|
| 1 | 8,648 | 3170.440818 |
| 2 | 5,979 | |
| 3 | 3,074 | |
| 4 | 1,402 | |
| 5 | 666 | |
| 6 | 369 | |
| 7 | 198 | |
| 8 | 103 | |
| Total | 20,439 | |

No. i



| | | |
|-----|------|----------|
| 369 | 6.50 | 2,398.50 |
| 198 | 7.50 | 1,485.00 |
| 103 | 7.50 | 772.50 |

20,439

53,306.50

20,439 All Pt Treatments

2.61 Mean

Treatments

| 3 JL Treatment Numbers | STDDEV | | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|--------------|-------------|------------------|------------------|----------|
| | | | 0 (Age Group) | | |
| 1 | 2,364 | 851.4839043 | 2,364 | 1.50 | 3,546.00 |
| 2 | 1,559 | | 1,559 | 2.50 | 3,897.50 |
| 3 | 861 | | 861 | 3.50 | 3,013.50 |
| 4 | 459 | | 459 | 4.50 | 2,065.50 |
| 5 | 199 | | 199 | 5.50 | 1,094.50 |
| 6 | 104 | | 104 | 6.50 | 676.00 |
| 7 | 52 | | 52 | 7.50 | 390.00 |
| 8 | 23 | | 23 | 7.50 | 172.50 |
| Total | 5,621 | | | | |

5,621

14,855.50

5,621 JL Pt Treatments**2.64 Mean****Treatments**

| 3 JD Treatment Numbers | STDDEV | | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|--------------|-------------|------------------|------------------|----------|
| | | | 0 (Age Group) | | |
| 1 | 2,594 | 906.3303871 | 2,594 | 1.50 | 3,891.00 |
| 2 | 1,873 | | 1,873 | 2.50 | 4,682.50 |
| 3 | 942 | | 942 | 3.50 | 3,297.00 |
| 4 | 458 | | 458 | 4.50 | 2,061.00 |
| 5 | 221 | | 221 | 5.50 | 1,215.50 |
| 6 | 128 | | 128 | 6.50 | 832.00 |
| 7 | 79 | | 79 | 7.50 | 592.50 |
| 8 | 978 | | 44 | 7.50 | 330.00 |
| Total | 7,273 | | | | |

6,339

16,901.50

7,273 JD Pt Treatments**2.67 Mean****Treatments**

| 4 XD Treatment Numbers | STDDEV | | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|--------|------------|------------------|------------------|----------|
| | | | 0 (Age Group) | | |
| 1 | 936 | 334.322102 | 936 | 1.50 | 1,404.00 |
| 2 | 648 | | 648 | 2.50 | 1,620.00 |
| 3 | 330 | | 330 | 3.50 | 1,155.00 |
| 4 | 170 | | 170 | 4.50 | 765.00 |

| | | | | |
|--------------|--------------|-----|------|--------|
| 5 | 105 | 105 | 5.50 | 577.50 |
| 6 | 68 | 68 | 6.50 | 442.00 |
| 7 | 36 | 36 | 7.50 | 270.00 |
| 8 | 20 | 20 | 7.50 | 150.00 |
| Total | 2,313 | | | |

| | | |
|--------------|-------------------------|-----------------------------|
| 2,313 | | 6,383.50 |
| 2,313 | XD Pt Treatments | 2.76 Mean Treatments |

4a

| FW Treatment Numbers | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|----------------------|----------------|------------------|------------------|---------|
| Oct-00 | | 0 (Age Group) | | |
| 1 | 23 8.288330868 | 23 | 1.50 | 34.50 |
| 2 | 14 | 14 | 2.50 | 35.00 |
| 3 | 10 | 10 | 3.50 | 35.00 |
| 4 | 5 | 5 | 4.50 | 22.50 |
| 5 | 3 | 3 | 5.50 | 16.50 |
| 6 | - | - | 6.50 | 0.00 |
| 7 | - | - | 7.50 | 0.00 |
| 8 | - | - | 7.50 | 0.00 |
| Total | 55 | | | |

| | | |
|-----------|-------------------------|-----------------------------|
| 55 | | 143.50 |
| 55 | FW Pt Treatments | 2.61 Mean Treatments |

| 5 JG Treatment Numbers | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|-------------------|------------------|------------------|----------|
| 1 | 2,402 904.7397317 | 2,402 | 1.50 | 3,603.00 |
| 2 | 1,653 | 1,653 | 2.50 | 4,132.50 |
| 3 | 810 | 810 | 3.50 | 2,835.00 |
| 4 | 239 | 239 | 4.50 | 1,075.50 |
| 5 | 104 | 104 | 5.50 | 572.00 |
| 6 | 51 | 51 | 6.50 | 331.50 |
| 7 | 21 | 21 | 7.50 | 157.50 |
| 8 | 11 | 11 | 7.50 | 82.50 |
| Total | 5,291 | | | |

| | | |
|--------------|-------------------------|-----------------------------|
| 5,291 | | 12,789.50 |
| 5,291 | JG Pt Treatments | 2.42 Mean Treatments |

| 6 AO Treatment Numbers | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|-----------------|------------------|------------------|---------|
| | | 0 (Age Group) | | |
| 1 | 157 56.40605337 | 157 | 1.50 | 235.50 |
| 2 | 116 | 116 | 2.50 | 290.00 |
| 3 | 67 | 67 | 3.50 | 234.50 |
| 4 | 40 | 40 | 4.50 | 180.00 |
| 5 | 24 | 24 | 5.50 | 132.00 |
| 6 | 11 | 11 | 6.50 | 71.50 |
| 7 | 7 | 7 | 7.50 | 52.50 |
| 8 | 4 | 4 | 7.50 | 30.00 |
| Total | 426 | | | |

426 1,226.00

426 AO Pt Treatments 2.88 Mean Treatments

| 7 RC Treatment Numbers | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|----------------|------------------|------------------|---------|
| | | 0 (Age Group) | | |
| 1 | 95 35.35104565 | 95 | 1.50 | 142.50 |
| 2 | 64 | 64 | 2.50 | 160.00 |
| 3 | 37 | 37 | 3.50 | 129.50 |
| 4 | 15 | 15 | 4.50 | 67.50 |
| 5 | 5 | 5 | 5.50 | 27.50 |
| 6 | 1 | 1 | 6.50 | 6.50 |
| 7 | 1 | 1 | 7.50 | 7.50 |
| 8 | 1 | 1 | 7.50 | 7.50 |
| Total | 219 | | | |

219 548.50

219 RC Pt Treatments 2.50 Mean Treatments

| 8 TT Treatment Numbers | No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------------|------------------|------------------|---------|
| | 0 (Age Group) | | |
| 1 | 41 | 1.50 | 61.50 |
| 2 | 28 | 2.50 | 70.00 |
| 3 | 11 | 3.50 | 38.50 |
| 4 | 7 | 4.50 | 31.50 |
| 5 | 2 | 5.50 | 11.00 |
| 6 | 1 | 6.50 | 6.50 |

| | |
|--------------|-----------|
| 7 | 1 |
| 8 | 1 |
| Total | 92 |

| | | |
|---|------|------|
| 1 | 7.50 | 7.50 |
| 1 | 7.50 | 7.50 |

| | |
|----------------------------|-----------------------------|
| 92 | 234.00 |
| 92 TT Pt Treatments | 2.54 Mean Treatments |

8a

PHI Treatment Numbers

| | |
|--------------|--------------|
| 1 | 385 |
| 2 | 321 |
| 3 | 242 |
| 4 | 168 |
| 5 | 104 |
| 6 | 80 |
| 7 | 50 |
| 8 | 22 |
| Total | 1,372 |

| No. in Group (N) | Midway Point (P) | (N)*(P) |
|------------------|------------------|---------|
| 0 (Age Group) | | |
| 385 | 1.50 | 577.50 |
| 321 | 2.50 | 802.50 |
| 242 | 3.50 | 847.00 |
| 168 | 4.50 | 756.00 |
| 104 | 5.50 | 572.00 |
| 80 | 6.50 | 520.00 |
| 50 | 7.50 | 375.00 |
| 22 | 7.50 | 165.00 |

| | |
|--------------------------------|-----------------------------|
| 1,372 | 4,615.00 |
| 1,372 PHI Pt Treatments | 3.36 Mean Treatments |


9 **Age: Grouped Data General 2000** 8-Jun-05

Grouped Data

| | |
|--------------|--------------|
| 0-10 | 11 |
| 11-20 | 57 |
| 21-30 | 449 |
| 31-40 | 770 |
| 41-50 | 708 |
| 51-60 | 725 |
| 61-70 | 352 |
| 71-80 | 39 |
| 81-90 | 4 |
| 90+ | 1 |
| Total | 3,116 |

STDDEV

329.86



10 ALL

Summary
Mean
Age

| | |
|-------------------|---------------------------------|
| Osteopaths | 44.48 Pts Mean Age (yrs) |
| JL | 47.25 |
| JD | 43.30 |
| XD | 43.13 |
| FW | 42.02 |

STDDEV
1.90584957


| Age Group | No. in Group (N) | Midway Point (P) | (N)*(P) | Age | Age Group | STDDEV |
|--------------------|------------------|------------------|--------------------|-----|-----------|------------|
| | | 0 (Age Group) | | | | 329.857949 |
| 0-10 | 11 | 5.00 | 55.00 | 5 | 0-10 | |
| 11-20 | 57 | 15.50 | 883.50 | 15 | 11-20 | |
| 21-30 | 449 | 25.50 | 11,449.50 | 25 | 21-30 | |
| 31-40 | 770 | 35.50 | 27,335.00 | 35 | 31-40 | |
| 41-50 | 708 | 45.50 | 32,214.00 | 45 | 41-50 | |
| 51-60 | 725 | 55.50 | 40,237.50 | 55 | 51-60 | |
| 61-70 | 352 | 65.50 | 23,056.00 | 65 | 61-70 | |
| 71-80 | 39 | 75.50 | 2,944.50 | 75 | 71-80 | |
| 81-90 | 4 | 85.50 | 342.00 | 85 | 81-90 | |
| 90+ | 1 | 95.50 | 95.50 | 95 | 90+ | |
| | | 0.50 | 0.00 | | | |
| 3,116.00 | | | 138,612.50 | | | |
| All Pt Mean | | | 44.48 Years | | | |

11 JL

Age Group Data

| Age Group | No. in Group (N) | Midway Point (P) | (N)*(P) |
|-----------|------------------|------------------|-----------|
| | | 0 (Age Group) | |
| 0-10 | 5 | 5.00 | 25.00 |
| 11-20 | 20 | 15.50 | 310.00 |
| 21-30 | 103 | 25.50 | 2,626.50 |
| 31-40 | 204 | 35.50 | 7,242.00 |
| 41-50 | 219 | 45.50 | 9,964.50 |
| 51-60 | 291 | 55.50 | 16,150.50 |
| 61-70 | 158 | 65.50 | 10,349.00 |
| 71-80 | 18 | 75.50 | 1,359.00 |
| 81-90 | 2 | 85.50 | 171.00 |
| 90+ | 0 | 95.50 | 0.00 |
| | | 0.00 | 0.00 |

Age **Age Group** **STDDEV**
108.803595




| | |
|-------------------|--------------------|
| 1,020.00 | 48,197.50 |
| JL Pt Mean | 47.25 Years |

12 JD

Age Group Data

| Age Group | No. in Group (N) | Midway Point (P) | (N)*(P) |
|-------------------|------------------|------------------|--------------------|
| 0 (Age Group) | | | |
| 0-10 | 3 | 5.00 | 15.00 |
| 11-20 | 19 | 15.50 | 294.50 |
| 21-30 | 153 | 25.50 | 3,901.50 |
| 31-40 | 265 | 35.50 | 9,407.50 |
| 41-50 | 226 | 45.50 | 10,283.00 |
| 51-60 | 185 | 55.50 | 10,267.50 |
| 61-70 | 97 | 65.50 | 6,353.50 |
| 71-80 | 11 | 75.50 | 830.50 |
| 81-90 | 4 | 85.50 | 342.00 |
| 90+ | 0 | 95.50 | 0.00 |
| | | 0.00 | 0.00 |
| <hr/> | | | |
| | 963.00 | | 41,695.00 |
| JD Pt Mean | | | 43.30 Years |

Age Age Group STDDEV
103.340914




13 XD

Age Group Data

| Age Group | No. in Group (N) | Midway Point (P) | (N)*(P) |
|-------------------|------------------|------------------|--------------------|
| 0 (Age Group) | | | |
| 0-10 | 2 | 5.00 | 10.00 |
| 11-20 | 13 | 15.50 | 201.50 |
| 21-30 | 146 | 25.50 | 3,723.00 |
| 31-40 | 229 | 35.50 | 8,129.50 |
| 41-50 | 206 | 45.50 | 9,373.00 |
| 51-60 | 186 | 55.50 | 10,323.00 |
| 61-70 | 74 | 65.50 | 4,847.00 |
| 71-80 | 7 | 75.50 | 528.50 |
| 81-90 | 2 | 85.50 | 171.00 |
| 90+ | 0 | 95.50 | 0.00 |
| | | 0.00 | 0.00 |
| <hr/> | | | |
| | 865.00 | | 37,306.50 |
| XD Pt Mean | | | 43.13 Years |


Age Age Group STDDEV
95.2590037



| 14 FW | | Age Group Data | | | N/A | | |
|---------------------------------|------------------|-------------------|---------|--------------------|-----------|------------|--|
| Age Group | No. in Group (N) | Midway Point (P) | (N)*(P) | Age | Age Group | STDDEV | |
| | 0 | (Age Group) | | | | 2.54077853 | |
| 0-10 | 0 | 5.00 | 0.00 | 5 | 0-10 | | |
| 11-20 | 1 | 15.50 | 15.50 | 15 | 11-20 | | |
| 21-30 | 4 | 25.50 | 102.00 | 25 | 21-30 | | |
| 31-40 | 8 | 35.50 | 284.00 | 35 | 31-40 | | |
| 41-50 | 3 | 45.50 | 136.50 | 45 | 41-50 | | |
| 51-60 | 4 | 55.50 | 222.00 | 55 | 51-60 | | |
| 61-70 | 2 | 65.50 | 131.00 | 65 | 61-70 | | |
| 71-80 | 1 | 75.50 | 75.50 | 75 | 71-80 | | |
| 81-90 | 0 | 85.50 | 0.00 | 85 | 81-90 | | |
| 90+ | 0 | 95.50 | 0.00 | 95 | 90+ | | |
| | | 0.00 | 0.00 | | | | |
| | | 23.00 | 966.50 | | | | |
| | | FW Pt Mean | | 42.02 Years | | | |
| (Not statistically significant) | | | | | | | |


NEW PATIENTS DATA Management Patterns
December 29, 2000

| 15 New Patients FW | | No. in Group (N) Midway Point (P) (N)*(P) | | |
|--------------------|------------|---|-------------|--------|
| Treatment Nos: | | 0 | (Age Group) | |
| 1 | 85 | 85 | 1.50 | 127.50 |
| 2 | 53 | 53 | 2.50 | 132.50 |
| 3 | 20 | 20 | 3.50 | 70.00 |
| 4 | 10 | 10 | 4.50 | 45.00 |
| 5 | 10 | 10 | 5.50 | 55.00 |
| 6 | 1 | 1 | 6.50 | 6.50 |
| 7 | 1 | 1 | 7.50 | 7.50 |
| 8 | 1 | 1 | 7.50 | 7.50 |
| Total | 181 | Sample | | |




181 451.50
181 New Pt Treatments 2.49 Mean Treatments

| 15a New Patients JOL | | No. in Group (N) Midway Point (P) (N)*(P) | | |
|----------------------|-----|---|-------------|--------|
| Treatment Nos: | | 0 | (Age Group) | |
| 1 | 236 | 236 | 1.50 | 354.00 |
| 2 | 171 | 171 | 2.50 | 427.50 |




| | | | | |
|--------------|------------|---------------|------|--------|
| 3 | 118 | 118 | 3.50 | 413.00 |
| 4 | 84 | 84 | 4.50 | 378.00 |
| 5 | 50 | 50 | 5.50 | 275.00 |
| 6 | 27 | 27 | 6.50 | 175.50 |
| 7 | 17 | 17 | 7.50 | 127.50 |
| 8 | 7 | 7 | 7.50 | 52.50 |
| Total | 710 | Sample | | |



| | |
|------------------------------|-----------------------------|
| 710 | 2,203.00 |
| 710 New Pt Treatments | 3.10 Mean Treatments |

15b


| New Patients | XD | No. in Group (N) | Midway Point (P) | (N)*(P) |
|----------------|------------|------------------|------------------|---------|
| Treatment Nos: | | 0 (Age Group) | | |
| 1 | 353 | 353 | 1.50 | 529.50 |
| 2 | 241 | 241 | 2.50 | 602.50 |
| 3 | 126 | 126 | 3.50 | 441.00 |
| 4 | 81 | 81 | 4.50 | 364.50 |
| 5 | 54 | 54 | 5.50 | 297.00 |
| 6 | 39 | 39 | 6.50 | 253.50 |
| 7 | 24 | 24 | 7.50 | 180.00 |
| 8 | 18 | 18 | 7.50 | 135.00 |
| Total | 936 | Sample | | |



| | |
|------------------------------|-----------------------------|
| 936 | 2,803.00 |
| 936 New Pt Treatments | 2.99 Mean Treatments |

15c

| New Patients | TP | No. in Group (N) | Midway Point (P) | (N)*(P) |
|----------------|------------|------------------|------------------|---------|
| Treatment Nos: | | 0 (Age Group) | | |
| 1 | 57 | 57 | 1.50 | 85.50 |
| 2 | 43 | 43 | 2.50 | 107.50 |
| 3 | 29 | 29 | 3.50 | 101.50 |
| 4 | 20 | 20 | 4.50 | 90.00 |
| 5 | 9 | 9 | 5.50 | 49.50 |
| 6 | 5 | 5 | 6.50 | 32.50 |
| 7 | 4 | 4 | 7.50 | 30.00 |
| 8 | 1 | 1 | 7.50 | 7.50 |
| Total | 168 | Sample | | |



| | |
|------------------------------|-----------------------------|
| 168 | 504.00 |
| 168 New Pt Treatments | 3.00 Mean Treatments |

16a

2002 Data 06/03/2002

| JL Treatment Numbers | | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|----------------------|-------|----------|------------------|------------------|----------|
| | | | 0 (Age Group) | | |
| 1 | 2,804 | 973.4955 | 2,804 | 1.50 | 4,206.00 |
| 2 | 1,978 | | 1,978 | 2.50 | 4,945.00 |
| 3 | 1,242 | | 1,242 | 3.50 | 4,347.00 |
| 4 | 763 | | 763 | 4.50 | 3,433.50 |
| 5 | 439 | | 439 | 5.50 | 2,414.50 |

| | | | | |
|--------------|--------------|-----|------|----------|
| 6 | 268 | 268 | 6.50 | 1,742.00 |
| 7 | 172 | 172 | 7.50 | 1,290.00 |
| 8 | 118 | 118 | 7.50 | 885.00 |
| Total | 7,784 | | | |

| | | | |
|--------------|-------------------------|-------------|------------------------|
| 7,784 | | 23,263.00 | |
| 7,784 | JL Pt Treatments | 2.99 | Mean Treatments |

06/03/2002

16b

| FW Treatment Numbers | | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|-----------------------------|--------------|---------------|-------------------------|-------------------------|----------------|
| 0 (Age Group) | | | | | |
| 1 | 936 | 318.8755 | 936 | 1.50 | 1,404.00 |
| 2 | 761 | | 761 | 2.50 | 1,902.50 |
| 3 | 534 | | 534 | 3.50 | 1,869.00 |
| 4 | 359 | | 359 | 4.50 | 1,615.50 |
| 5 | 244 | | 244 | 5.50 | 1,342.00 |
| 6 | 163 | | 163 | 6.50 | 1,059.50 |
| 7 | 107 | | 107 | 7.50 | 802.50 |
| 8 | 71 | | 71 | 7.50 | 532.50 |
| Total | 3,175 | | | | |


| | | | |
|--------------|-------------------------|-------------|------------------------|
| 3,175 | | 10,527.50 | |
| 3,175 | FW Pt Treatments | 3.32 | Mean Treatments |

06/03/2002

16c

| MB Treatment Numbers | | STDDEV | No. in Group (N) | Midway Point (P) | (N)*(P) |
|-----------------------------|------------|---------------|-------------------------|-------------------------|----------------|
| 0 (Age Group) | | | | | |
| 1 | 158 | 52.6057 | 158 | 1.50 | 237.00 |
| 2 | 120 | | 120 | 2.50 | 300.00 |
| 3 | 92 | | 92 | 3.50 | 322.00 |
| 4 | 68 | | 68 | 4.50 | 306.00 |
| 5 | 43 | | 43 | 5.50 | 236.50 |
| 6 | 29 | | 29 | 6.50 | 188.50 |
| 7 | 17 | | 17 | 7.50 | 127.50 |
| 8 | 11 | | 11 | 7.50 | 82.50 |
| Total | 538 | | | | |


| | | | |
|------------|-------------------------|-------------|------------------------|
| 538 | | 1,800.00 | |
| 538 | MB Pt Treatments | 3.35 | Mean Treatments |




New Patient Registrations pa 1988 onwards

PMI Data

| PMI Data 25-Sep-00 | | |
|--------------------|-----|---------|
| PMI | No. | % |
| BUPA | 118 | 45.91% |
| PPP | 79 | 30.74% |
| Ridgeons | 37 | 14.40% |
| WPA | 8 | 3.11% |
| BCWA | 8 | 3.11% |
| Prime He | 2 | 0.78% |
| Iron Trad | 2 | 0.78% |
| AMEX | 1 | 0.39% |
| H.S.A. | 1 | 0.39% |
| Cigna | 1 | 0.39% |
| | 257 | 100.00% |





Nov-00

| | | | | | |
|---|----|----------|----|------|--------|
| 1 | 94 | 32.98809 | 94 | 1.50 | 141.00 |
| 2 | 70 | | 70 | 2.50 | 175.00 |
| 3 | 43 | | 43 | 3.50 | 150.50 |
| 4 | 24 | | 24 | 4.50 | 108.00 |
| 5 | 20 | | 20 | 5.50 | 110.00 |
| 6 | 12 | | 12 | 6.50 | 78.00 |
| 7 | 4 | | 4 | 7.50 | 30.00 |
| 8 | 3 | | 3 | 7.50 | 22.50 |

| | | | | | |
|--------------|------------|--|--|--|--|
| Total | 270 | | | | |
|--------------|------------|--|--|--|--|

| | | |
|--|-----|--------|
| | 270 | 815.00 |
|--|-----|--------|

| | | |
|-----------------------------|------------------|-------------------|
| 270 FW Pt Treatments | 3.02 Mean | Treatments |
|-----------------------------|------------------|-------------------|

]